Box 2, 123

Price List to Planters

AVENUE NURSERIES

FALL 1916

W. B. COLE, PROPRIETOR PAINESVILLE, OHIO

List of varieties and prices subject to change to conform to our stock and condition of trade at the time the order is given. Office and grounds one and one-half miles west of Painesville, on Mentor Avenue, and 28 miles east of Cleveland. C. P. & E. cars every hour from Cleveland and Painesville. Stop 79 is in front of our office and grounds. Painesville Telephone No. Main 97, connecting with Long Distance Independent Lines. Bell Telephone No. Main 77-W.

TO OUR PATRONS

We have carefully arranged prices in this list for each, ten, and one hundred lots, so as to be fair to both the small and large purchaser.

Prices are for regular grade of No. 1 stock of size specified. We reserve the privilege of charging extra for stock personally selected by customer, or for trees of extra heavy caliper, for scarce sorts, or long list of varieties.

One to ten trecs or plants at each rates. Ten to fifty at ten rates. Fifty or more at one hundred rates.

Stock will be boxed, baled or crated, and delivered at freight or express office at Painesville, Ohio, in good condition without extra charge, purchaser to pay freight and express charges. We will furnish estimates on freight or express charges when requested. Small fruits and other plants can be sent by mail, in which case the postage will be added to bill. Strawberry plants should always be forwarded by express.

We have aimed to give description of size and grade that will be easily understood. Would be pleased, however, to give any further information wanted by correspondence.

We are growers of nursery stock with thirty years experience and have over two hundred acres of land devoted to the business. We have a large, modern cellar for storage, equipped with convenience for grading, packing and handling nursery stock with the least possible exposure and greatest dispatch.

TIME TO PLANT

Nursery stock can be shipped and planted any time during the dormant season from October 1st to May 1st, when weather is favorable.

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be held responsible for a greater amount than the price paid.

TERMS

Three per cent. discount for cash with order or before shipment. To parties having a satisfactory credit arrangement or account with us, two per cent. ten days or thirty days net.

Reference—Cleveland Trust Co., Painesville, Ohio.

Fruit Department

| | APPLES, S | STANDARD | Each | Per 10 | Per 100 |
|---|-------------------------------|---|--------------|---------------------|----------------|
| 5 to 6 feet, 11-16 inc | h and up | | .25 | 1.75 | 15. 0 0 |
| 4 to 5 feet, 5-8 to 11- | -16 inch | | .20 | 1.50 | 10.00 |
| 3 1-2 to 5 feet, 1-2 to | 5-8 inch | | .15 | 1.25 | 8.00 |
| 3 to 3 feet, 1 year | | | .20 | 1.50 2.50 | 12.00 20.00 |
| Alexander | Gano | Missouri Pippin | | ehouse | 20.00 |
| Arkansas Black | Gideon | Munson Sweet | Stark | | |
| Astrachan | Golden Russet | Northwestern | | man's Wi | nesap |
| Autumn Strawberry | | Greening | Sutto | | |
| Baldwin Banana | Grimes Golden Gravenstein | Northern Spy Ohio Nonpareil | | t Bough t Russet | |
| Ben Davis | Greenville | Ontario | Tolm | an | |
| Belleflower | Harvest | Opalescent | | scendent | |
| Beitingheimer Bentley Sweet | Holland Pippin Hubbardston | Paradise Sweet Pewaukee | Wagi | nty Ounce | Pippin |
| Black Ben Davis | Hyslop Crab | Peter | Walt | oridge | |
| Boiken | lonathan | Pound Sweet | West | ern Beau | ity |
| Chenango Strawberry | | Rambo | Weal | | |
| Danver's Sweet Dominie | King Lowell | Rhode Island Greening | Wine | ney Cral | , |
| Duchess | Maiden's Blush | Rome Beauty | Wolf | River | |
| Fallawater | Mammoth Black Twig | | | w Trans | |
| Fameuse Fall Pippin | Mann McIntosh Red | Rolfe Salome | York | Imperia | .1 |
| ran rippin | Memicon Red | Salome | | | |
| | APPLES, | DWARF | Each | Per 10 | Per 100 |
| 3 to 4 feet, 9-16 inch 3 to 4 feet, 1-2 to 5-3 | and up | | .35 .25 | 3.00 2.25 | 20.00 |
| Astrachan | Grimes Golden | Ohio Nonpareil | | on's Bea | |
| Baldwin | King | Rambo | Swe | et Bough | |
| Banana | Maiden's Blush | Rhode Island | Wag | | |
| Duchess Fallawater | Northwestern Greening | Greening Stayman's Wines | | ilthy ow Tran | sparent |
| | | , | 1 | | • |
| · | PEARS, S' | TANDARD | Each | Per 10 | Per 100 |
| 5 to 6 feet, 11-16 inc | h and up, 2 years | | .30 | 2.50 | 20.00 |
| 4 to 6 feet, 5-8 to 11 | -16 inch, 2 years | | .25 | 2.00 | 15.00 |
| 4 to 5 feet, 1-2 to 5-3 | 8 inch, 2 years | • | .20 | 1.75 1.75 | 13.00 13.00 |
| | up | | .25 | 2.00 | 16.00 |
| | kel 5 cents each extra. | | | | |
| Anjou | Duchess | Louise | Shelo | | |
| Bartlett Clarigeau | Flemish Beauty Howell | Mary Rosney | Vern Wild | nont Bear | uty |
| Clapp's Favorite | Kieffer | Seckel | | den-Seck | el |
| FF | | | | | |
| | PEARS | , DWARF | Each | Per 10 | Per 100 |
| 3 to 4 feet, 11-16 inc | h and up, 2 years | | .25 | 2.00 | 15.00 |
| | -16 inch, 2 years | | . 20 | 1.50 | 12.00 |
| Anjou Bartlett | Clarigeau Duchess | Louise Mary | Vern Wild | nont Bea ler | uty |
| Clapp's Favorite | | Seckel | | den-Secke | el |
| 1 1 | | 0 | | | |

| 4 to 5 feet, 5-8 to 3-4 | nd upinchFellenberg (or York State Prune) French Damson | Lombard Monarch Moore's Artic Naples Niagara Pond | .30 .25 .25 Rein Satsu Shro Ship Wich | 2.00 2.00 e Claude uma pshire Da pers' Pride | Per 100 20.00 16.00 16.00 |
|---|--|--|--|--|------------------------------------|
| 4 to 6 feet, 5-8 to 3-4 3 to 5 feet, 1 year Allen Bing | ind up | Cox Wood | Schi Win | 3.50 3.00 3.00 midts | Per 100 30.00 25.00 25.00 |
| 3 1-2 to 4 1-2 feet, 5- 1 year | h and up8 to 11-16 inch Louis Philippe May Duke | | .30 .25 .25 | 2.00 · 2.00 nmond | Per 100 20.00 16.00 16.00 |
| | APF Budd | | Each .25 | Per 10 2.25 orpark | |
| 3 to 4 feet, 7-16 to 9 2 to 3 feet, 5-16 to 7 | 1-16 inch -16 inch | | Each . 15 . 10 | Per 10 1.00 .75 .60 | Per 100 8.00 5.00 3.50 |
| Admiral Dewey Alexander Banner Beer's Smock Belle of Georgia Captain Ede Carmen Chair's Choice Champion Crawford's Early Crawford's Late Hale, 4 to 5 feet 3 to 4 feet Wilma, 4 to 5 feet. 3 to 4 feet. Wilma (Late Elbseveral hundred Elbseveral of Ottawa co | Crosby Early Rivers Elberta Fitzgerald Foster Gold Drop Graves Greensboro Heath Cling Ingle's Mammoth Kalamazoo erta)—Original tree erta Seedlings growing bunty, Ohio. A typica e, fruit, and productive ek to ten days. | Lemon Cling Lemon Free Mayflower Mathew's Beauty Marshall Mt. Rose New Prolific Niagara Old Mixon Pearce's Mammor Reeves' Favorite was selected from in the famous fruit I Elberta peach in | Slap Sco Smo Sne Stea Stu Trio Wh | way ppy tt's Nonpo ck Free ed arns mp the W umph eatland eeler's Lat low St. Jo Per 10 2.00 1.50 1.50 1.25 | orld e |

| QUINCES 4 to 5 feet, 9-16 inch and up | Each .35 .30 | Per 10 3.00 2.50 | |
|--|--|--|--|
| Borgeat Champion Meeches | Ora | nge | |
| MULBERRIES Russian, 6 to 8 feet | Each .30 .40 | Per 10 2.50 3.50 | |
| NUTS Butternut, 8 to 10 feet 6 to 8 feet 4 to 6 feet. Chestnut, American Sweet, 5 to 6 feet 4 to 5 feet. Paragon, 4 to 6 feet Spanish, 2 to 3 feet Filbert, English, 6 to 8 feet. 4 to 5 feet. Hickory, Shellbark, 2 to 3 feet Pecans, 2 to 3 feet. Walnut, Black, 8 to 10 feet 6 to 8 feet. 4 to 6 feet. English, 6 to 8 feet. 2 to 3 feet. Japan, 6 to 8 feet. Japan, 6 to 8 feet. | Each .60 .50 .35 .35 .30 1.25 .35 .40 .30 .50 .50 .75 .50 .35 | Per 10 5.00 4.00 3.00 3.00 2.50 3.00 4.00 3.00 2.50 4.00 6.00 4.00 3.00 4.00 5.00 | |
| 4 to 6 feet | .35 | 3.00 | |
| GOOSEBERRIES | Each | Per 10 | Per 100 |
| Downing, 1 year. 2 years. Houghton, 1 year. 2 years. Industry, 2 years. Red Jacket, 2 years. | .08 .10 .08 .10 .20 | .60 .75 .50 .60 1.50 1.00 | 4.00 5.00 4.00 5.00 8.00 |
| CURRANTS | Each | Per 10 | Per 100 |
| Black Champion, 1 year. 2 years Black Naples, 1 year. 2 years Cherry, 1 year. 2 years Fays Prolific, 1 year. 2 years La Versallles, 1 year. 2 years London Market, 1 year. 2 years Perfection, 1 year. 2 years Red Cross, 1 year. 2 years Wilder, 1 year. 2 years Wilder, 1 year. 2 years White, Grape, 1 year. 2 years | . 06 .10 .06 .10 .05 .08 .05 .08 .05 .08 .12 .15 .05 .08 .05 | .30 .50 .30 .50 .40 .60 .40 .60 .40 .60 .40 .60 .40 .60 .40 .60 .40 .60 .40 .60 | 2.50 3.50 2.75 3.75 3.25 4.00 2.75 3.75 2.50 3.50 9.00 4.50 2.75 3.50 4.50 2.75 3.50 |

| GRAPE VINES | | D 40 | D 400 |
|---|--|--|--|
| Agawam, 1 year. 2 years. Brighton, 1 year. 2 years. Campbell's Early, 1 year. 2 years. Champion, 1 year. 2 years. Champion, 1 year. 2 years. Delaware, 1 year. 2 years. Diamond, 1 year. 2 years. Diamond, 1 year. 2 years. Green Mountain, 1 year. 2 years. Ives Seedling, 1 year. 2 years. Moore's Early, 1 year. 2 years. Salem, 1 year. 2 years. Salem, 1 year. 2 years. Vergennes, 1 year. 2 years. Worden, 1 year. 2 years. Wyoming, Red, 1 year. 2 years. Woodruff, Red, 1 year. 2 years. Write for prices on Grape Vines per thousand. | Each .08 .10 .08 .10 .12 .15 .05 .08 .05 .06 .10 .06 .10 .20 .25 .06 .08 .06 .10 .06 .08 .06 .08 .05 .08 .06 .10 .06 .10 .06 .10 .10 .10 .10 .10 .10 .10 .10 .10 .10 | Per 10 .60 .75 .60 .75 1.00 1.25 .35 .30 .40 .50 .75 .50 .60 .60 .50 .60 .60 .50 .60 .50 .60 .60 .50 .60 .60 .50 .60 .60 .60 .75 .40 .60 .50 .75 .75 | Per 100 4.00 5.00 4.00 5.00 9.00 11 00 3.00 4.00 2.50 2.25 3.00 4.00 5.50 3.50 4.50 3.50 4.00 5.00 3.50 4.00 5.00 4.00 5.00 3.50 4.50 |
| RASPBERRIES, Red | | Per 10 | Per 100 |
| Cuthbert. Herbert. King. St. Regis. | | .20 .30 .20 .25 | 1.25 2.25 1.25 1.50 |
| RASPBERRIES, Yellow Golden Queen | | Per 10 .30 | Per 100 1.50 |
| RASPBERRIES, Purple | | Per 10 .20 .25 | Per 100 1.50 2.00 |

| | | RRIES, Black | Each | Per 10 . 20 | Per 100 1.25 |
|--------------------|---------------------------|---------------------------------|--------|----------------|-----------------|
| | | | | .20 | 1.25 |
| | | | | .20 | 1.25 |
| | | | | . 20 | 1.25 |
| | | | | | |
| | | | | | |
| | ŖASPBERRI | ES, Transplan | ts | Per 10 | Per 100 |
| Grade Kansas ar | nd Plum Farmer | | | . 25 | 1.50 |
| Gregg, Kansas al | d Hum raimer | • • • • • • • • • • • • • • • • | | . 20 | 1,00 |
| BI | LACKBERRIES, F | Root Cutting 1 | Plants | Per 10 | Per 100 |
| Ancient Britton | | | | . 25 | 1.50 |
| | | | | .30 | 2.00 |
| | | | | .25 | 1.75 |
| | | | | . 20 . 25 | 1.25 1.75 |
| | | | | .30 | 1.75 |
| | | | | .30 | 2.25 |
| | ry | | | . 20 | 1.35 |
| Mersereau | | | | .20 | 1.50 |
| | | | | . 20 | 1.50 1.75 |
| | | | | .25 .20 | 1.50 |
| | | | | .20 | 1.50 |
| | | | | . 20 | 1.50 |
| | | | | .35 | 2.50 |
| Special prices o | n all berry plants per th | nousand. | | | |
| | ASP | ARAGUS | | Per 10 | Per 100 |
| | | | | | |
| Conover's Coloss | al and Palmetto, 2 year | ars | • | .15 | .75 |
| | RHU | JBARB | Each | Per 10 | Per 10 0 |
| | | | | | |
| Linneus and Que | een, 2 years | | . 10 | .60 | 4 00 |
| | | WBERRIES | | _ | |
| | (After C | October 15th) | | | Per 100 |
| Leading Sorts (\$4 | 4.50 per 1000) | | | . 25 | 75 |
| Brandywine | Glen Mary | Marshall | Sa | mple | |
| Bubach | Haverland | Parson's Beaut | y Sei | nator Dun! | |
| Gandy | Jessie | Ryckman | | lliam Belt | |
| | STRAWBERR | RIES, Everbeari | ing | Per 25 | Per 100 |
| a | | · · | 3 | | |
| Superb and Prog | ressive | | | . 50 | 1.50 |

Ornamental Trees

| | Each | Per 10 | Per 100 |
|--|-------------------|-----------------------|---------|
| AILANTHUS, 6 to 8 feet | . 50 | 4.00 | |
| 8 to 10 feet | .75 | 6.00 | |
| 10 to 12 feet | . 85 | 7.50 | |
| ALDER—Imperial Cut-leaved, 10 to 12 feet | 1.25 1.75 | | |
| ARALIA SPINOSA—4 to 6 feet | . 40 . 50 | 3.50 4.50 | |
| ASH—European, 5 to 6 feet | .40 .50 .60 | 3.00 4.00 5.00 | |
| BEECH—European, 8 to 10 feet | 1.25 1.75 | 11.00 15.00 | |
| Purple Leaved, 3 to 4 feet | . 60 | 5.00 | |
| 6 to 8 feet | 1.00 | | |
| 10 to 12 feet | 2.00 1.00 | | |
| River's Grafted, 4 to 5 feet | 1.25 | | |
| 8 to 10 feet | 2.00 | | |
| 10 to 12 feet | 2.50 | | |
| BIRCH—European, White, 6 to 8 feet | .50 .75 | 4.00 6.00 | |
| 10 to 12 feet | 1.00 | 7.50 | |
| 2 to 2 1-2 inches | 1.50 | 12.50 | |
| Cut-leaved, Weeping, 5 to 6 feet | .75 | 6.00 | |
| 6 to 8 feet 8 to 10 feet | 1.00 1.50 | 9. 00 12.50 | |
| 2 1-2 to 3 inches | 3.00 | 25.00 | |
| CATALPA—Bungei, 1 year heads, 5 to 6 foot stems | .75 | 6.00 | |
| 2 year heads, 5 and 6 foot stems Extra Heavy Specimens \$2.00 to \$3.00 each. | . 85 | 7.50 | |
| Speciosa, 1 year stems, 6 to 8 feet | .35 | 3.00 | 25.00 |
| 2 years, 8 to 10 feet | .50 .60 | 4.00 5.00 | 30.00 |
| 1 1-2 to 2 inches | .75 | 6.00 | |
| 2 to 2 1-2 inches | 1.25 1.75 | 10.00 | |
| 2 1-2 to 3 inches | 2.50 | 15.00 | |
| CHERRY—Japan Weeping | 1.25 | 10.00 | |
| CORNUS FLORIDA—White Flowered, 3 to 4 feet | . 60 | 5.00 | |
| 4 to 5 feet 5 to 6 feet | .75 1.00 | 6.50 8.00 | |
| Red Flowered, 2 to 3 feet | .85 | 0.00 | |
| 3 to 4 feet | 1.00 | | |
| GRAB APPLE—Bechtel's Double-flowered, 3 to 4 feet 4 to 5 feet | . 50 . 60 | 4.50 5.50 | |
| GYPRESS—Deciduous, 4 to 6 feet | . 75 | 6.00 | |
| 6 to 8 feet 8 to 10 feet | .85 1.00 | 7.00 8.50 | |
| 0 to 10 leet | 1.00 | 0.50 | |

| | Each | Per 10 | Per 100 |
|---|---------------------|---------------------|------------------------|
| ELM-American White, 6 to 8 feet | .50 | 3.50 | 30.00 |
| 8 to 10 feet | .60 | 5.00 | 40.00 |
| 1 1-2 to 1 3-4 inches | .75 | 6.00 | 55.00 |
| 1 3-4 to 2 inches | 1.00 | 8.50 | |
| 2 to 2 1-2 inches | 1.50 2.00 | 12.50 | |
| 3 to 3 1-2 inches | 3.00 | | |
| English, 4 to 6 feet | .50 | 4.50 | |
| 6 to 8 feet | .75 | 6.50 | |
| 2 1-2 to 3 inches | 2.00 | 4 00 | 20.00 |
| Scotch, 6 to 8 feet | .50 .60 | 4.00 5.00 | 30.00 40. 00 |
| 10 to 12 feet | .75 | 6.00 | 10.00 |
| 1 1-2 to 1 3-4 inches | .85 | 7.50 | |
| 1 3-4 to 2 inches | 1.00 | 8.50 | |
| 2 to 2 1-2 inches | 1.25 1.75 | | • |
| 3 to 4 inches | 2.50 | | |
| 4 to 5 inches | 4.00 | | |
| Camperdown Weeping, 2 year heads | 1.00 | | |
| EUONYMUS EUROPEAN, 3 to 4 feet | . 25 | 2.00 | |
| 4 to 5 feet | .30 .35 | $\frac{2.50}{3.00}$ | |
| 6 to 8 feet | .50 | 4.00 | |
| AMERICAN, 3 to 4 feet | .40 | 3.50 | |
| HONEY LOCUST, 6 to 8 feet | . 60 | 5.00 | |
| 8 to 10 feet | . 85 . 50 | 7.50 4.00 | |
| 6 to 8 feet | .75 | 6.00 | |
| 1 1-2 to 2 inches | 1.00 | 7.50 | |
| 2 to 2 1-2 inches | 1.25 1.75 | | |
| 2 1-2 to 3 inches 3 to 4 inches | 3.00 | | |
| Red-flowering, 3 to 4 feet | .50 | | |
| 4 to 5 feet | .75 | | • |
| 5 to 6 feet 6 to 8 feet | 1.00 1.50 | | |
| JUDAS TREE, 4 to 5 feet | .50 | 4.00 | |
| KENTUCKY COFFEE TREE, 4 to 6 feet | .40 | 3.00 | |
| 6 to 8 feet | . 60 | 5.00 | |
| KOELREUTERIA—Paniculata, 3 to 4 feet | . 40 . 50 | 3.00 4.00 | |
| 5 to 6 feet | .60 | 5.00 | |
| 6 to 8 feet | .75 | 6.50 | |
| LABURNUM—Scotch, 4 to 6 feet | . 50 | 4.00 | |
| LARCH—European, 4 to 6 feet | .50 .75 | 4.00 6.00 | |
| LIQUIDAMBER, 4 to 6 feet | .60 | 0.00 | |
| 6 to 8 feet | .75 | | |
| 1 1-2 to 2 inches | 1.00 | | |
| 2 to 2 1-2 inchesLINDEN—American, 6 to 8 feet | 1.50 | 5.00 | |
| 8 to 10 feet | .75 | 6.50 | |
| 10 to 12 feet | 1.00 | 8.50 | |
| European, 6 to 8 feet | . 60 . 75 | 5.00 6.50 | |
| 1 1-2 to 2 inches | 1.00 | 0.50 | |
| 2 to 2 1-2 inches | 1.50 | | |
| MAGNOLIA—Acuminata, 4 to 6 feet | . 50 | 4.00 | |
| 6 to 8 feet | .8 5 1,25 | 7.50 | |
| Glauca, 2 to 3 feet | 1.00 | | |
| Lenei, 3 to 4 feet, balled | 1.50 | | |
| 4 to 5 feet, balled | 2.00 | | |

| | Each | Per 10 | Per 100 |
|---|--------------|---------------------|---------|
| MAGNOLIA—Haliana, 3 to 4 feet, balled | 1.75 | | |
| Purpurea, 3 to 4 feet, balled | 1.50 1.50 | | |
| 4 to 5 feet, balled | 1.75 | | |
| MAPLE—Ash-leaved (Box Elder), 6 to 8 feet | .50 | 4.00 | 30.00 |
| 8 to 10 feet | .60 | 5.00 | 40.00 |
| Ginnala, 3 to 4 feet | .50 1.50 | | |
| 3 to 4 feet | 2.00 | | |
| Norway, 6 to 8 feet | .65 | 6.00 | 50.00 |
| 8 to 10 feet | .85 | 7.50 | 70.00 |
| 1 1-2 to 1 3-4 inch | 1.00 1.25 | | |
| 2 to 2 1-2 inches | 1.75 | | |
| 2 1-2 to 3 inches | 2.50 | | |
| 3 to 4 inches | 4.00 | | |
| Reitenbachi, 6 to 8 feet | 1.00 | | |
| 8 to 10 feet | 1.25 | | |
| 1 1-2 to 2 inches | 2.00 | | |
| 2 to 2 1-2 inches | 3.00 | | |
| 2 1-2 to 3 inches | 4.00 | 3.00 | 25.00 |
| 8 to 10 feet | . 50 | 4.00 | 35.00 |
| 1 1-4 to 1 1-2 inch | .60 | 5.00 | 40.00 |
| 1 1-2 to 1 3-4 inch | .75 | 6.50 | 50.00 |
| 1 3-4 to 2 inches | 1.00 1.35 | 8.50 12.50 | |
| 2 1-2 to 3 inches | 1.75 | 12.30 | |
| 3 to 3 1-2 inches | 2.25 | | |
| 3 1-2 to 4 inches | 3.00 | | |
| 4 to 5 inches | 4.00 | 5.00 | 40.00 |
| 8 to 10 feet | .75 | 6.50 | 60.00 |
| 1 1-2 to 1 3-4 inch | 1.00 | 8.50 | |
| 1 3-4 to 2 inches | 1.25 | 11.00 | |
| 2 to 2 1-2 inches | 1.75 2.25 | 15.00 20.00 | |
| 3 to 3 1-2 inches | 3.50 | 30.00 | |
| We have a large stock of Silver and Sugar Maples. | | | |
| Sycamore, 1 3-4 to 2 inches | 1.25 | | |
| 2 to 2 1-2 inches | 1.75 | 4 00 | |
| Wier's Cut-leaved, 6 to 8 feet | .50 .75 | $\frac{4.00}{6.00}$ | |
| 10 to 12 feet | 1.00 | 8.50 | |
| 1 3-4 to 2 inches | 1.25 | | |
| 2 to 2 1-2 inches | 1.75 | 2 50 | |
| MOUNTAIN ASH—European, 6 to 8 feet | .40 .60 | 3.50 | • |
| 1 1-2 to 2 inches | 1.00 | | |
| Oak-leaved, 6 to 8 feet | . 60 | | |
| MULBERRY—Teas Weeping, 2 year heads | 1.00 | 0 50 | |
| OAK—Pin, 6 to 8 feet | 1.00 | 8.50 11.00 | |
| 1 1-2 to 1 3-4 inches | 1.50 | | |
| 1 3-4 to 2 inches | 2.00 | | |
| 2 to 2 1-2 inches | 2.50 | | |
| 2 1-2 to 3 inches | 4.00 | | |
| Red, 4 to 6 feet | .75 | 6.50 | |
| 6 to 8 feet | 1.00 | 8.50 | |
| 8 to 10 feet | 1.25 2.00 | | |
| Z [U Z 1-2 mones | 2.00 | | |

| · · · · · · · · · · · · · · · · · · · | | | |
|---|---------------------|--------|---------|
| | Each | Per 10 | Per 100 |
| POPLAR—Aurea (Golden), 8 to 10 feet | . 40 | 3.00 | |
| _ 10 to 12 feet | 6 0 | 5.00 | |
| Carolina, 8 to 10 feet | .35 | 3.00 | 25.00 |
| 10 to 12 feet | . 50 | 4.00 | 35.00 |
| Lombardy, 8 to 10 feet | .40 | 3.00 | 25.00 |
| 10 to 12 feet | . 50 | 4.00 | |
| 1 1-2 to 1 3-4 inch | .75 | 6.00 | |
| 2 1-2 to 3 inches | $\frac{1.50}{2.25}$ | | |
| | .35 | 3.00 | |
| Norway, 6 to 8 feet | 1.50 | 12.50 | |
| | | 12.50 | |
| ROSE ACACIA, 4 to 5 feet, top grafted | .75 | | |
| SALISBURIA—Maiden Hair Tree, 6 to 8 feet | .75 | | |
| 8 to 10 feet | 1.00 | 44.00 | |
| 10 to 12 feet | 1.25 | 11.00 | |
| SYCAMORE—American, 10 to 12 feet | .75 | 6.00 | |
| 1 1-2 to 1 3-4 inches | 1.00 | 8.50 | |
| 1 3-4 to 2 inches | 1.25 | 11.00 | |
| 2 to 2 1-2 inches | 1.75 | 15.00 | |
| European, 6 to 8 feet | . 50 | 4.00 | 30.00 |
| 8 to 10 feet | .75 | 6.00 | 50.00 |
| 10 to 12 feet | .90 | 8.00 | ## OO |
| 1 1-2 to 1 3-4 inch | 1.00 | 8.50 | . 75.00 |
| 1 3-4 to 2 inches 2 to 2 1-2 inches | 1.25 1.75 | 11.00 | |
| | 2.50 | | |
| 2 1-2 to 3 inches 3 to 4 inches | 3.50 | | |
| 0 00 1 11011011111111111111111111111111 | | | |
| THORN—Double White and Paul's Scarlet, 4 to 5 feet. | .50 | 4 00 | |
| TULIP TREE, 4 to 6 feet | . 50 | 4.00 | |
| 6 to 8 feet | .75 | 6.00 | |
| 8 to 10 feet | 1.00 | 7.50 | |
| WILLOW—Gold-bark, 8 to 10 feet | . 50 | | |
| Laurel-leaf, 8 to 10 feet | . 50 | | |
| Wisconsin, 8 to 10 feet | .50 | | |
| 10 to 12 feet | .75 | | |

We reserve the privilege of making an additional charge for stock of extra quality, personally selected by the purchaser.

Deciduous Shrubs

| | | | _ |
|--|--------------|--------|---------|
| | Each | Per 10 | Per 100 |
| ALMONDS—Double Flowering, White and Pink | .35 | 3.00 | |
| ALTHEAS—Named Sorts, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .35 | 3.00 | |
| 3 to 4 feet, tree shape | . 40 | 3.50 | |
| 4 to 5 feet, tree shape | . 50 | 4.50 | |
| Variegated-leaved, 1 1-2 to 2 feet | .25 | 2.00 | |
| 2 to 3 feet | .35 | 3.00 | |
| AZALEA—Ghent, 18 to 24 inches | .75 | 7.00 | |
| Mollis, 12 to 15 inches, unnamed | .60 | 5.00 | |
| 15 to 18 inches, unnamed | .75 | 6.00 | |
| Nudiflora, 2 to 3 feet | .85 | | |
| BARBERRY—Purple-leaved, 1 1-2 to 2 feet | .20 | 1.50 | |
| 2 to 3 feet | .25 | 2.00 | |
| Thunbergii, 10 to 15 inches | .10 | .75 | 5.00 |
| 15 to 18 inches | .15 | 1.00 | 6.00 |
| 18 to 24 inches | .20 | 1.50 | 10.00 |
| 24 to 30 inches | .25 | 2.00 | 15.00 |
| Vulgaris, 1 1-2 to 2 feet | . 20 | 1.50 | |
| 2 to 3 feet | .25 | 2.00 | |
| BUDDLEIA (Butterfly Bush) | . 30 | 2.50 | |
| CALYCANTHUS—Floridus, 1 1-2 to 2 feet | .20 | 1.50 | |
| 2 to 3 feet | .25 | 2.00 | 4 |
| Precox, 1 1-2 to 2 feet | .25 | 2.00 | |
| 2 to 3 feet | .35 | 2.50 | |
| CARAGANA ARBORESCENS, 2 to 3 feet | .25 | 2.00 | |
| CAR YOPTERIS—Mastacanthus (Blue Spirea) | .25 | 2.00 | |
| | | | |
| CLETHRA ALNIFOLIA, 1 1-2 to 2 feet | .30 | 2.50 | |
| 2 to 3 feet | .35 | 3.00 | |
| | .30 | 2.50 | |
| CORNUS—Elegantissima Variegated, 2 to 3 feet | .40 | 3.50 | |
| 3 to 4 feet | . 50 | 4.00 | |
| Siberica, 2 to 3 feet | .20 | 1.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| 4 to 5 feet | .35 | 3.00 | |
| Spaethi Aurea, 2 to 3 feet | .40 | | |
| CURRANT—Alpinum, 1 1-2 to 2 feet | . 50 . 30 | 2.50 | |
| Aureum, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| 5 to 6 feet | .75 | 0.00 | |
| Sanguineum, 3 to 4 feet | .30 | 2.50 | |
| CYDONIA JAPONICA, 1 1-2 to 2 feet | . 20 | 1.50 | 12.00 |
| 2 to 3 feet | .25 | 2.00 | 12.00 |
| 3 to 4 feet | .35 | 3.00 | |
| DESMODIUM PENDULIFLORUM | .30 | 2.50 | |
| DEUTZIA—Gracilis, 15 to 18 inches. | .20 | 1.50 | |
| 1 1-2 to 2 feet | .25 | 2.00 | |
| Carminea, 2 to 3 feet | .25 | 2.00 | |
| Lemoinei, 1 1-2 to 2 feet | .25 | 2.00 | |
| Pride of Rochester, 2 to 3 feet | .20 | 1.50 | 12.00 |
| 3 to 4 feet | .25 | 2.00 | 15.00 |
| 4 to 5 feet | .35 | 3.00 | |
| 5 to 6 feet | .75 | 5.00 | |
| Waterii, 3 to 4 feet | .25 | 2.00 | |
| ELDER—Acutiloba, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .35 | 3.00 | |
| 1 | | | |

| | Each | Per 10 | Per 100 |
|--|-------------|---------------|----------|
| DYNTH O 1 A A A | | | 1 (1 100 |
| ELDER—Canadensis, 2 to 3 feet | .25 | 2.00 | |
| Golden-leaved, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| Racemosus, Red Berried, 3 to 4 feet | .25 | 2.00 | |
| 4 to 5 feet | .35 | 3.00 | |
| 5 to 6 feet | .75 | 5.00 | |
| | | | |
| ELEAGNUS—Longipes | .30 | 2.50 | |
| ELEAGNUS—Augustifolia (Russian Olive), 2 to 3 feet | . 25 | 2.00 | |
| EUONYMUS ALATUS, 1 1-2 to 2 feet | .30 | | |
| 2 to 3 feet | .40 | | |
| FILBERT—Golden-leaved, 3 to 4 feet | .75 | | |
| Purple-leaved, 2 to 3 feet | .40 | | |
| | .50 | | |
| 3 to 4 feet | .30 | | |
| 4 to 5 feet | .75 | | |
| FORSYTHIA—Fortuni, 2 to 3 feet | . 25 | 2. 0 0 | |
| 3 to 4 feet | .3 0 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| Intermedia, 2 to 3 feet | .20 | 1.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| | | | |
| 4 to 5 feet | .35 | 3. 0 0 | |
| Suspensa, 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .35 | | |
| 4 to 5 feet | .40 | 3.50 | |
| FRINGE—Purple, 2 to 3 feet | .20 | 1.50 | |
| 3 to 4 feet | .25 | | |
| 4 to 5 feet | .35 | | |
| | .30 | | |
| White, 2 to 3 feet | | | |
| 3 to 4 feet | .40 | | |
| 6 to 8 feet | .75 | | |
| HAMAMELIS—Virginiaca (Witch Hazel), 2 to 3 feet | .30 | | |
| HONEYSUCKLE—Fragrantissima, 2 to 3 feet | .30 | 2.50 | |
| Bella Albida, 2 to 3 feet | . 30 | 2.50 | |
| Ledebouri, 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .40 | 3.50 | |
| | | | |
| Morrowi, 2 to 3 feet | . 25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| Tartarian, Red, 2 to 3 feet | . 20 | 1.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| White, 2 to 3 feet | . 20 | 1.50 | |
| 3 to 4 feet | . 25 | 2.00 | |
| Xylosteum, 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 (| | | |
| 4 to 5 feet | .40 | 3.50 | |
| HYDRANGEA-Arborescens Grandiflora, 18 to 24 inches | .30 | 2.50 . | |
| 2 to 3 feet. | . 40 | 3.50 | |
| Paniculata, 2 to 3 feet | . 30 | 2.50 | |
| Paniculata Grandiflora, 18 to 24 inches | . 20 | 1.50 | 12 50 |
| 2 to 3 feet | .25 | 2.00 | 18 00 |
| 3 to 4 feet, tree shape | .40 | | |
| 4 to 5 feet, tree shape | .50 | - | |
| HYPERICUM—Aureum | 35 | 3. 0 0 | |
| Massisses | | | |
| Moserianum | 25 | 2.00 | |
| KERKIA—Japonica, fl. pl., 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .40 | 3.50 | |
| Variegated-leaf, 15 to 18 inches | .30 | 2.50 | |
| LESPEDEZA—Bicolor, 2 to 3 feet | .25 | 2.00 | , |
| 4 to 5 feet | .40 | 3.50 | |
| LILAC—Purple, 2 to 3 feet. | .25 | 2.00 | |
| 2 to 4 foot | | | |
| 3 to 4 feet | .30 | 2.50 | |
| White, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | . 30 | 2.50 | |
| Named Sorts, 3 to 4 feet | .40 | | |
| 4 to 5 feet | . 50 | | |

| | Each | Per 10 F | er 100 |
|--|--------------|--------------|--------|
| LILAC—Persian, 3 to 4 feet | .40 | | |
| Villosa, 3 to 4 feet | . 40 | | |
| LINDERA—Benzoin, 2 to 3 feet | .35 | 3.00 | |
| PHILADELPHUS—(Syringa or Mock Orange) | | | |
| Aurea, 15 to 18 inches | . 35 | 3.00 | |
| Avalanche, 1 1-2 to 2 feet | . 30 | 2.50 | |
| Coronarius, 2 to 3 feet | . 25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .40 .75 | 3.50 | |
| Gordonii, 3 to 4 feet | .25 | 5.00 2.00 | |
| 4 to 5 feet | .30 | 2.50 | |
| 5 to 6 feet | .40 | 3.50 | |
| Grandiflora; 3 to 4 feet | .25 | 2.00 | |
| 4 to 5 feet | .30 | 2.50 | |
| 5 to 6 feet | . 50 | 4.00 | |
| 6 to 8 feet | . 75 | 6.00 | |
| Lemoinei, 2 to 3 feet | . 25 | 2.00 | |
| 3 to 4 feet | .35 | 3.00 | |
| PRIVET—(See Hedge Plants) | | | |
| PRUNUS-Pissardi, 3 to 4 feet | . 30 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| Triloba, 3 to 4 feet | .40 | 3.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| RHODOT YPHUS—Kerriodes, 2 to 3 feet | .35 .25 | 3.00 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| RHUS—Aromatica, 2 to 3 feet | .35 | 2.50 | |
| Glabra, 2 to 3 feet | . 25 | | |
| Laciniata, 18 to 24 inches | .35 | | |
| Typhina, 2 to 3 feet | . 25 | | |
| 3 to 4 feet | .35 | | |
| Laciniata, 3 to 4 feet | .40 | | |
| SNOWBERRY—White, 2 to 3 feet | .50 | | |
| 3 to 4 feet | .20 | 1.50 | |
| Red, 2 to 3 feet | . 25 . 20 | 2.00 1.50 | |
| SOPHORA—Japonica, 2 to 3 feet | .40 | 1.30 | |
| SPIREA—Anthony Waterer, 12 to 18 inches | | 2 00 | |
| 18 to 24 inches | .25 .35 | 2.00 3.00 | |
| Arguta Multiflora, 2 to 3 feet | .25 | 2.00 | |
| Billardi, 2 to 3 feet | . 20 | 1.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| Collosa Alba, 12 to 18 inches | . 25 | 2.00 | |
| 18 to 24 inches | .30 | 2.50 | |
| Douglasi, 2 to 3 feet | . 20 | 1.50 | - |
| 3 to 4 feet | . 25 | 2.00 | |
| Fortunei, 2 to 3 feetLindleyana, 3 to 4 feet | .30 | 2.50 | |
| Opulifolia, 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | . 25 | | |
| Opulifolia Aurea, 2 to 3 feet | . 20 | 1.50 | 12 50 |
| 3 to 4 feet | . 25 | | 18.00 |
| 4 to 5 feet | .30 | | 20.00 |
| 5 to 6 feet | . 40 | | |
| 6 to 8 feet | .75 | | |
| Paniculata Rosea, 2 to 3 feet | . 25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| Prunifolia, 2 to 3 feet | .40 .25 | 3.50 2.00 | |
| 3 to 4 feet | .25 | 2.00 | |
| Reevesii, fl. pl., 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .40 | 3.50 | |
| | | 0.00 | |

| | Each | Per 10 | Per 100 |
|--|--------------|--------------|---------|
| SPIREA—Salicifolia, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .35 | 3.00 | |
| Sorbifolia, 2 to 3 feet | .25 | | |
| Superba, 1 1-2 to 2 feet | . 25 | 2.00 | |
| Thunbergi, 18 to 24 inches | .25 | 2.00 | |
| 24 to 30 inches | .30 | 2.50 | |
| Tomentosa, 2 to 3 feet | . 25 | 2.00 | |
| Van Houttei, 2 to 3 feet | . 20 | 1.75 | 15.00 |
| 3 to 4 feet | .25 | 2.00 | 17.50 |
| 4 to 5 feet | . 40 | 3.50 | |
| STEPHENANDRA—Flexuosa, 2 to 3 feet | . 25 | | |
| TAMARIX—Africana, 3 to 4 feet | . 20 | | |
| 4 to 5 feet | .25 | | |
| Odessa, 3 to 4 feet | .35 | 3.00 | • |
| VIBURNUM—Dentatum, 2 to 3 feet | .30 | | |
| Lantana, 2 to 3 feet | .25 | 2.00 | |
| 3 to 4 feet | .30 | 2.50 | |
| 4 to 5 feet | .40 | 3.50 | |
| Opulis (High Bush Cranberry) 2 to 3 feet | .20 | 1.50 | |
| 3 to 4 feet | .25 | 2.00 | |
| 4 to 5 feet | .35 | 3.00 | |
| Opulis Nana, 10 to 12 inches | .35 | 3.00 | |
| Plicatum (Japan Snowball) 2 to 3 feet | .30 | | |
| 3 to 4 feet | .40 | | |
| Sterilis (Snowball), 2 to 3 feet | .25 | | |
| 3 to 4 feet | .35 | | |
| 4 to 5 feet | . 50 | | |
| Tomentosum, 2 to 3 feet | . 30 | | |
| WEIGELIA—Abel Carriere, 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .40 | 3.50 | |
| Amabilis, 3 to 4 feet | . 30 | 2.50 | |
| Candida, 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .35 | 3.00 | |
| Eva Rathke, 2 to 3 feet | .30 | 2.50 | |
| 3 to 4 feet | .40 | 3.50 | |
| Floribunda, 2 to 3 feet | . 30 | 2.50 | |
| 3 to 4 feet | . 40 | 3.50 | |
| Rosea, 2 to 3 feet | . 30 | 2.50 | |
| 3 to 4 feet | .40 | 3. 50 | |
| Variegated, 18 to 24 inches | .25 | | |
| 2 to 3 feet | . 3 5 | | |
| | | | |

Hedge Plants

| | Per 10 | Per 100 |
|--------------------------------------|--------|---------|
| BARBERRY—Thunbergii, 10 to 15 inches | .60 | 5.00 |
| HONEY LOCUST, 1 year | | 1.00 |
| OSAGE ORANGE (\$3.50 per 1000) | | .75 |
| PRIVET—Amoor River. 18 to 24 inches | .75 | 6.00 |
| 2 to 3 feet | 1.00 | 8.00 |
| California, 15 to 18 inches | | 1.75 |
| 18 to 24 inches | .35 | 2.50 |
| 2 to 3 feet | . 50 | 3.50 |
| Chinensis Nana, 18 to 24 inches | .75 | 6.00 |
| 2 to 3 feet | 1.00 | 8.00 |
| Ibota, 18 to 24 inches | . 75 | 6.00 |
| 2 to 3 feet | 1.00 | 8.00 |
| Regelianum, 18 to 24 inches | 1.20 | 10.00 |
| Vulgaris, 15 to 18 inches | | 2.50 |
| 18 to 24 inches | . 50 | 3.50 |
| 2 to 3 feet | . 60 | 4.50 |

Evergreens

If Evergreens are balled and burlapped add 10c each for 2 to 3 foot grade; 15c each for 3 to 4 feet—larger sizes in proportion.

| , | Each | Per 10 | Per 100 |
|--|---------------------|--------|---------|
| ARBOR VITAE—American, 1½ to 2 feet | .30 | 2.50 | 20.00 |
| 2 to 3 feet | .40 | 3.50 | 30.00 |
| 3 to 4 feet | . 60 . 85 | 5.00 | 45.00 |
| 4 to 5 feet | 1.25 | 7.50 | |
| Columbia, 2 to 3 feet | 1.00 | | |
| 3 to 4 feet | 1.25 | | |
| Compacta, 15 to 18 inches | .75 | | |
| 1 1-2 to 2 feet | 1.00 | | |
| Ellwangeriana, 15 to 18 inches. 18 to 24 inches. | .50 .75 | | |
| 2 to 2 1-2 feet | 1.00 | | |
| Hovey's Golden, 1 1-2 to 2 feet | .60 | | |
| 2 to 2 1-2 feet | .75 | | |
| 3 to 4 feet | 1.00 | | |
| Lutea (Geo. Peabody), 2 to 3 feet | .75 | | |
| Lobbi Aurea, 2 to 3 feet | 1.25 .75 | | |
| 5 to 6 feet | 1.75 | | |
| Orientale, 1 1-2 to 2 feet | .60 | | |
| Pyramidalis, 2 to 3 feet | .60 | | |
| 3 to 4 feet | .75 | | |
| 4 to 5 feet | $\frac{1.00}{1.25}$ | | |
| 5 to 6 feet | .50 | | |
| 18 to 24 inches | .75 | | |
| 2 to 2½ feet | 1.00 | | |
| Glauca Aurea, 18 to 24 inches | 1.00 | | |
| 2 to 3 feet | 1.50 | | |
| Tom Thumb, 18 to 24 inches | .75 1.00 | | |
| Vervaeneana, 2 to 3 feet | .75 | | |
| 3 to 4 feet | 1.00 | | |
| GUPRESSUS—Nutkaensis Glauca, 24 to 30 inches | .75 | | |
| Pendula, 2 to 2 1-2 ft. | 1.00 | | |
| FIR—Silver, American Balsam, 2 to 3 feet | 1.25 .40 | | |
| 3 to 4 feet | .50 | | |
| 4 to 5 feet | .75 | | |
| JUNIPER—Chinensis, 3 to 4 feet | 1.25 | | |
| Aurea, 18 to 24 inches | . 85 | | |
| Procumbens, 3 to 4 feet Irish, $1\frac{1}{2}$ to 2 feet | 2.00 .40 | | |
| 3 to 4 feet | .65 | | |
| 4 to 5 feet | 1.00 | | |
| Japonica Aurea, 18 to 24 inches | 1.00 | | |
| Sabina, 2 to 3 feet | . 85 | | |
| Virginiana, 2 to 3 feet | .75 | | |
| Glauca, 2 to 3 feet | 1.00 1.25 | | |
| Schotii, 3 to 4 feet | 1.00 | | |
| 5 to 6 feet | 2.00 | | |
| Spica Alba, 1 1-2 to 2 feet | .75 | | |
| PINE—Austrian, 2 to 3 feet | 1.00 | | |
| 3 to 4 feet | 1.50 | | |
| 18 to 24 inches | .75 1.00 | | |
| | 1.00 | | |

| | Each | Per 10 | Per 100 |
|--|---------------------|----------------------|---------|
| PINE—Scotch, 1½ to 2 feet | .60 | 20.10 | 20. 100 |
| 2 to 3 feet | .85 | | |
| 4 to 5 feet | 1.25 | | |
| 2 to 3 feet | .85 | | |
| 5 to 6 feet | 1.75 | | |
| 6 to 8 feet | 2.50 3.50 | | |
| RETINOSPORA—Argentia, 18 to 24 inches | .85 | | |
| Filifera, 18 inches | . 85 | | |
| 2 to 3 feet | 1.75 1.25 | | |
| Obtusa, 2 to 3 feet | .85 | | |
| 3 to 4 feet | 1.25 | | |
| Nana, 10 to 12 inches Picifera, 2 to 2 1-2 feet | $\frac{1.00}{1.00}$ | | |
| 3 to 4 feet | 1.25 | | |
| Aurea, 2 to 2 1-2 feet | 1.00 | | |
| 3 to 4 feet | 1.25 | | |
| Plumosa, 18 to 24 inches 2 to 3 feet | .75 1.00 | | |
| Aurea, 18 to 24 inches | .75 | | |
| 2 to 3 feet | 1.00 | | |
| Squarrosa, 18 to 24 inches SPRUCE—Colorado Green, 2 to 3 feet | 1.00 | 6.00 | |
| 3 to 4 feet | 1.00 | 8.50 | |
| 4 to 5 feet | 1.50 | | |
| 5 to 6 feet | 2.00 1.25 | • | |
| 3 to 4 feet | 1.75 | | |
| 4 to 5 feet | 2.50 | | |
| 5 to 6 feet | 3.50 1.50 | | |
| 2 to 2 1-2 feet | 2.50 | | |
| .2 1-2 to 3 feet | 3.00 | | |
| 3 to 4 feet | 3.50 5.00 | | |
| 5 to 6 feet | 6.00 | | |
| Hemlock, 18 to 24 inches | .75 | 6.50 | |
| 2 to 3 feet | .85 1.25 | 7.50 | |
| 4 to 5 feet | 1.50 | | |
| 5 to 6 feet | 2.00 | # #O | |
| 'Douglasi (Douglas Spruce), 2 to 3 feet 3 to 4 feet | .85 1.00 | 7.50 | |
| Norway, 18 to 24 inches | .25 | 2.00 | 15.00 |
| 2 to 3 feet | .40 | 3.00 | 25.00 |
| 3 to 4 feet | .50 .75 | 4. 00 6.00 | 35.00 |
| 5 to 6 feet | 1.50 | 0.00 | |
| White, 1 1-2 to 2 feet | .40 | 3.50 | |
| 2 to 3 feet | .60 1.75 | 5.00 | |
| | | | |
| Evergreen Shr | 116 | 3 | |
| Evergreen 3III | un | | |
| | Each | | Per 100 |
| ANDROMEDA—Catesbave, 8 to 12 inches | .75 | | |

| | Each | P er 10 | Per 100 |
|-------------------------------------|------|----------------|---------|
| ANDROMEDA—Catesbaye, 8 to 12 inches | .75 | | |
| Floribunda, 8 to 12 inches | .75 | | |
| EUONYMUS—Radicans, 8 to 12 inches | .20 | 1.50 | |
| Variegated, 8 to 12 inches | . 20 | 1.50 | |
| KALMIA—Latifolia, 18 to 24 inches | .85 | | |
| 2 to 2 1-2 feet | 1.25 | | |

| W. B. COLE, NURSERYMAN, PAIN | ESV11 | LLE, | ОНІО |
|---|----------------------|--------------|----------|
| | Each | Per 10 | |
| MAHONIA—Aquifolia, 18 to 24 inches | .30 | 2.50 | |
| 2 to 3 feet | .40 | 3.50 | |
| RHODODENDRONS—Grafted Sorts, 18 to 24 inches | 1.25 | 10.00 | |
| Catawbiense , 18 to 24 inches 2 to 3 feet | 1.00 | 8.50 | |
| 2 to 3 reet | 1.25 | | |
| Roses | | | |
| | Each | Per 10 | Per 100 |
| HYBRID PERPETUAL—Anna D. Diesbach, Baron de | | | |
| Bonstetten, Baroness Rothschild, Cilo, Coquette des Alpes, Earl of Dufferine, Fisher Holmes, Eugene | | | |
| Furst, Frau Karl Druschkl, Gen. Jacqueminot. | | | |
| Hugh Dickson, J. B. Clark, Magna Charta, Madam | | | |
| Gabriel Luzet, Margaret Dickson, Marshall P. Wilder, Mrs. J. H. Laing, Mrs. R. G. Sharman | | | |
| Crawford, Paul Neyron, Prince Camile de Rohan. | | | |
| Tom Wood, Ulrich Brunner, Vick's Caprice | .25 | 2.00 | 18.00 |
| PERSIAN YELLOW. SOLIEL d'OR. | .25 .35 | 2.00 3.00 | |
| GRUSS AN IEPLITZ, K. A. VICTORIA, KILLARNEY. | .00 | 3.00 | |
| MADAM CAROLINE TESTOUT. | .35 | 3.00 | |
| MOSS—White, Crested and John Cranston. BABY RAMBLER. | .25 .35 | 2.00 3.00 | |
| BABY DURUTHY | .35 | 3.00 | |
| ERNA TESCHENDORF | .40 | 3.50 | |
| JESSIE. SWEET BRIAR HYBRIDS. | .40 | 3.50 2.50 | |
| RUGOSA ALBA | .30 | 2.50 | |
| RUBRA | . 25 | 2.00 | 15.00 |
| HYBRIDS—Madam Geo. Bruant, Pride of Cleveland, Conrad F. Meyer, Blanc de Coubert | .30 | 2.50 | |
| CLIMBING—Baltimore Belle and Prairle Queen | .25 | 2.00 | |
| CRIMSON RAMBLER FLOWER OF FAIRFIELD | .25 | 2.00 | |
| IELLUW KAMBLER | .40 .25 | 3.50 2.00 | |
| WHITE RAMBLER | . 25 | 2.00 . | |
| TAUSENDSCHON. BLUE RAMBLER. | .35 | 3.00 | |
| DORUTHY PERKINS | .35 .25 | 3.00 2.00 | |
| DURUTHY PERKINS, White | . 25 | 2.00 | |
| ROSA BLANDA AND NITIDA SETIGERA. | .25 .25 | 2.00 | |
| WIGHURIANA | .25 | 2.00 | 15.00 |
| TREE OR STANDARD | .75 | 6.00 | |
| C1! 1! .TT! | • | | |
| ClimbingVines | Foot | Dom 10 | Per 100 |
| AKEBIA—Quinata | . 25 | 2.00 | 1 61 100 |
| AMPELOPSIS—Engelmanni, 2 years | .25 | 2.00 | |
| Quinquefolla, 2 years | .20 | 1.50 | |
| Veitchii, 2 years BIGNONIA—Grandiflora | .20 | 1.50 | |
| Radicans | . 20 | 1.50 | |
| CLEMATIS—Coccinea, 2 years | .30 | 2.50 | |
| Paniculata, 2 years, strong | . 20 . 25 | 1.50 2.00 | |
| Large Flowering Sorts, 2 years | .40 | 3.50 | |
| Viticella, 2 years CELASTRUS—Scandens | .30 | 2.50 | |
| DUTCHMAN'S PIPE | . 2 0 . 50 | 1.50 4.00 | |
| HONE YSUCKLES—Aurea Reticulata | .25 | 2.00 | |
| Halllana and Chinese Twining | .25 | 2.00 | |

| | Г | D 40 D 105 |
|---|------------|----------------|
| HOMEWONDER M. 11 B. | Each | Per 10 Per 100 |
| HONEYSUCKLES—Monthly Fragrant | .25 | 2.00 |
| Scarlet Trumpet | . 30 | 2.50 |
| Semperflorens | . 25 | 2.00 |
| KUDZU VINE. | .30 | 2.50 2.00 |
| MATRIMONY VINE | . 25 | 2.00 |
| WISTARIA—Sinensis. | .30 | 2.50 |
| Alba | .35 | 3.00 |
| Magnifica, 2 years | .35 | 3.00 |
| a , , , | | 0.00 |
| Dononnial Dlants | | |
| Perennial Plants | Each | D 10 D 400 |
| | | Per 10 Per 100 |
| ACHILLEA—The Pearl | . 12 | 1.00 |
| Flos Jovis | . 12 | 1.00 1.20 |
| ANEMONE—Queen Charlotte, Rubra and Whirlwind. | .15 | 1.25 |
| ANCHUSA—Italica | . 15 | 1.25 |
| ANTHEMIS—Tinctoria. | .15 | 1.25 |
| AQUILEGIA—Coerulea Hybrida and Chrysantha | .13 | 1.00 |
| ASTER—Nova Angliae and Rosea, Thos. S. Ware, | . 1 2 | 1.00 |
| White Queen, Mrs. T. W. Raynor | . 15 | 1.25 |
| ASCLEPIAS—Tuberosa | 12 | 1.00 |
| BAPTESIA—Australis | . 15 | 1.25 |
| BOLTONIA—Asteroides and Latisquamae | . 12 | 1.00 |
| BOCCONIA—Cordata | .15 | 1.25 |
| CALLIRHOE—Involucrata | .15 | 1.25 |
| CAMPANULA—Carpatica—Blue and White | . 15 | 1.25 |
| Calycanthema—Rose and White | .15 | 1.25 |
| Media (Canterbury Bell) | . 15 | 1.25 |
| Persicifolla | . 15 | 1.25 |
| CASSIA—Marilandica | .15 | 1.25 |
| CHRYSANTHEMUM—Hardy Assorted | .15 | 1.25 |
| COREOPSIS—Lanceolata. | .12 | 1.00 |
| Tetraptera | . 20 | 1.50 |
| DAISY—Shasta DELPHINIUM—Belladonna | . 12 | 1.00 |
| Chinensis | .15 | 1.50 1.25 |
| Coelestinum | .15 | 1.25 |
| Formosum | .15 | 1.25 |
| Gold Medal Hybrids | . 20 | 1.50 |
| DICENTRA—Spectabilis (Bleeding Heart) | .15 | 1.25 |
| DICTAMNUS—Alba | . 15 | 1.25 |
| DIANTHUS—Barbatus (Sweet William) | .12 | 1.00 |
| Latifolius Atrococcineus | .15 | 1.25 |
| DIGITALIS (Fox Glove) | . 15 | 1.25 |
| ERIANTHUS-Ravennae | . 12 | 1.00 |
| EULALIA—Gracilima Univitata | . 12 | 1.00 |
| Japonica Variegated and Zebrina | .12 | 1.00 |
| FUNKIA—Lanceolata | .12 | 1.00 |
| Subcordata Grandiflora, White | . 20 | 1.50 |
| Blue | . 25 | 2.00 |
| Undulata Varlegata | .15 | 1 25 |
| GYPSOPHILLA—Panlculata | . 15 | 1.25 |
| HELENIUM—Autumnale. | .12 .15 | 1.00 |
| HELIANTHUS—Assorted. | .15 | 1.25 1.25 |
| HIBISCUS—Crimson Eye. | .13 | 1.25 |
| Moscheutos | .12 | 1.25 |
| Meehan's Mallow Marvels Mixed | .13 | 2.00 |
| Red | .30 | 2.50 |
| HEMEROCALIS—Flava | | M + O O |
| | .12 | 1.00 |
| Minor | .12 | 1.00 1.00 |
| MinorThunbergii | | |

| W. B. COLE, NURSERYMAN, PAIN | ESVII | LLE, | OHIO |
|---|---------------------|--------------|---------|
| | Each | Per 10 | Per 100 |
| HOLLYHOCKS—Named Colors | . 15 | 1.25 | 10.00 |
| IBERIS—Sempervirens | .15 | 1.25 | |
| IRIS—German, Named Sorts | . 12 | 1.00 | |
| Kaempferii, Five Distinct Varieties | .15 | 1.25 | |
| MixedSiberica | .12 | 1.00 | |
| LATHYRUS—Latifolius (Perennial Pea). | .12 | 1.00 1.25 | |
| LAVENDULA—Vera | .20 | 1.50 | |
| LINUM—Perenne | .15 | 1.25 | |
| LUBELIA—Cardinalis | .12 | 1.00 | |
| LYCHNIS—Calcedonica | .12 | 1.00 | |
| Viscaria | .15 | 1.25 | |
| MVOSOTO Polyatria (Forcet Ma N. a) | .12 | 1.00 | |
| MYOSOTO—Palustris (Forget-Me-Not) PAPAVER (Poppy) Orientale | .12 | 1.00 | |
| Nudicaule | .15 | 1.25 | |
| PACHYSANDRA—Terminalis | . 15 | 1.25 1.25 | |
| PENTSTEMON—Torrevii | .12 | 1.00 | |
| PHLUX—Paniculata, in variety | .12 | 1.00 | 8.00 |
| Eiffel Tower | .20 | 1.50 | |
| Subulata (Moss Pink) | .12 | 1.00 | |
| PHYSOSTEGIA. | .12 | 1.00 | |
| PINK—Essex Witch. | .12 | 1.00 | |
| Her Majesty Plumarius, Scotch Pink | .15 | 1.25 | |
| PLATYCODON—Grandiflora. | .12 | 1.00 1.00 | |
| PLUMBAGO—Larnentae | .15 | 1.25 | |
| PYRETHRUM—Hybridum | .12 | 1.00 | |
| Uliginosum | .12 | 1.00 | |
| RUDBECKIA—Golden Glow | .12 | 1.00 | - |
| Maxima | .15 | 1.25 | |
| Purpurea | .15 | 1.25 | |
| SALVIA—Azurea Grandiflora | .20 | 1.50 | |
| Greggi | . 15 . 25 | 1.25 2.00 | |
| Pitcheri | .20 | 1.50 | |
| SAPONARIA—Ocymoides | .15 | 1.25 | |
| SCABIOSA—Caucasica | .15 | 1.25 | |
| SEDUM—Spectabilis, Brilliant | .20 | 1.50 | |
| STATICE—Latifolia | .15 | 1.25 | |
| STOKESIA—Cyanea THERMOPSIS—Caroliniana | . 15 | 1.25 | |
| TRITOMA—Pfitzeri. | . 15 | 1.25 | |
| Uvaria | . 20 . 15 | 1.50 1.25 | |
| TUNICA—Saxifraga | .15 | 1.25 | |
| VALERIAN—Officinalis | .15 | 1.25 | |
| Coccinea | .15 | 1.25 | |
| VERONICA—Spicata | .15 | 1.25 | |
| VINCA—Minor | .12 | 1.00 | |
| YUCCA—Filamentosa | .20 | 1.50 | |
| Donnia | | | |
| r æomas | Engh | D., 10 | |
| ANNIELAURIES, DUCHESSE DE NEMOURS, DELACHI, | Each | Per 10 | |
| DUKE OF WELLINGTON, EDULIS SUPERBA | | | |
| HUMEI, JEANNE D'ARC, L'ECLETANTE, MADAME | | | |
| LABON, MODESTE GUERIN, OFFICINALIS RUBRA | | | ` |
| PLENA, QUEEN VICTORIA | . 25 | 2.00 | |
| COURONNE D'OR, FESTIVA MAXIMA, GRANDI- | | | |
| FLORA, MARIE LEMOINE, OFFICINALIS ROSEA | 20 | 2.50 | |
| PLENA HERCULES, TENUIFOLIA FLORA PLENA | .30 | 2.50 | |
| RUBRA SUPERBA | , 3·5 . , 40 | 3.00 3.50 | |
| FELIX CROUSSE, MADAME DE GALHAU, MADAME | . 10 | 3.30 | |
| EMILE GALLE, MONSIEUR JULES ELIE | .50 | 4.00 | |
| 90 | | | |